Brain Research, 485 (1989) 407–409
Elsevier

Author Index

Adinolfi, A.M., see Freed, W.J., 349
Adrien, J., see Davenne, D., 267
Akiyama, K., Yamada, N. and Otsuki, S., Lasting increase in excitatory amino acid receptor-mediated polyphosphoinositide hydrolysis in the amygdala/pyriform cortex of amygdala-kindled rats, 95
Anderson, E.G., see Scroggs, R.S., 391
Arden, R.L., see Drescher, D.G., 225
Arita, H., Ichikawa, K., Kuwana, S. and Kogo, N., Possible locations of pH-dependent central chemoreceptors: intramedullary regions with acidic shift of extracellular fluid pH during hypercapnia, 285
Asai, M., see Talavera, E., 141
Ault, B., Caviedes, P. and Rapoport, S.I., Neurophysiological abnormalities in cultured dorsal root ganglion neurons from the Trisomy-16 mouse fetus, a model for Down syndrome, 165
Azimuddin, S., see Yoburn, B.C., 176

Barnhardt, R., see Shaw, C.-F., 179
Blackburn, T.P., see Tortella, F.C., 294
Böhmer, G., see Schmid, K., 193
Bréhier, A., see Rami, A., 20
Bruce, E.N., see Jung, R., 399

Carstens, E., see Guinan, M.J., 333
Caviedes, P., see Ault, B., 165
Chiang, C.Y., Hu, J.W., Dostrovsky, J.O. and Sessle, B.J., Changes in mechanoreceptive field properties of trigeminal somatosensory brainstem neurons induced by stimulation of nucleus raphe magnus in cats, 371
Chalazonitis, A., Crain, S.M. and Kessler, J.A., Embryonic spinal cord neurons develop preferential cholinergic projections to sympathetic ganglia explanted from appropriate levels of the neuraxis, 115
Chen, M.J., see Jimenez-Rivera, C.A., 363
Cohen, M.I., see Shaw, C.-F., 179
Condés-Lara, M., see Talavera, E., 141
Court, J.A., see Smith, C.H., 317
Cox, B., see Tortella, F.C., 294
Crain, S.M., see Chalazonitis, A., 115
Culhane, E.S., see Guinan, M.J., 333

Davenne, D., Frégnac, Y., Imbert, M. and Adrien, J., Lesion of the PGO pathways in the kitten. II. Impairment of physiological and morphological maturation of the lateral geniculate nucleus, 267
De Felipe, M.C., Molinero, M.T. and Del Río, J., Long-lasting neurochemical and functional changes in rats induced by neonatal administration of substance P antiserum, 301
Del Río, J., see De Felipe, M.C., 301
De Weille, J.R., Fosset, M., Schmid-Antomarchi, H. and Lazdunski, M., Galanin inhibits dopamine secretion and activates a potassium channel in pheochromocytoma cells, 199
Dostrovsky, J.O., see Chaing, C.Y., 371
Drescher, D.G., Khan, K.M., Arden, R.L., Drescher, M.J., Kerr, T.P. and Hatfield, J.S., Protein associated with the sensory cell layer of the rainbow trout saccular macula, 225
Drescher, M.J., see Drescher, D.G., 225

Echevarria, E., see Tortella, F.C, 294
Errchidi, S., see Hilaire, G., 325

Fosset, M., see De Weille, J.R., 199
Freed, W.J., Adinolfi, A.M., Laskin, J.D. and Geller, H.M., Transplantation of B16/C3 melanoma cells into the brains of rats and mice, 349
Frégnac, Y., see Davenne, D., 267

Garey, L.J., Takács, J., Revishchin, A.V. and Hámori, J., Quantitative distribution of GABA-immunoreactive neurons in cetacean visual cortex is similar to that in land mammals, 278
Geller, H.M., see Freed, W.J., 349
Gogola, G., see Pieper, D.R., 382
Goldsmith, G., see Wieraszko, A, 244
Gotow, T., see Nishi, T., 185
Guinan, M.J., Rothfeld, J.M., Pretel, S., Culhane, E.S., Carstens, E. and Watkins, L.R., Electrical stimulation of the rat ventral midbrain elicits antinociception via the dorsolateral funiculus, 333
Gunion, M.W., Rosenthal, M.J., Tatemoto, K. and Morley, J.E., Intracranial microinfusion of pancreastatin elevates blood glucose, free fatty acids, and corticosterone in rats, 251

Hamill, R.W., see Melvin, J.E., 1
Hamill, R.W., see Melvin, J.E., 11
Hamill, R.W., see Newton, B.W., 149
Hámori, J., see Garey, L.J., 278
Harper, C., see Klekamp, J., 79
Hatfield, J.S., see Drescher, D.G., 225
Hauser, K.F. and Toran-Allerand, C.D., Androgen increases the number of cells in fetal mouse spinal cord cultures: implications for motoneuron survival, 157
Herbst, E., see Sisken, B.F., 309
Hervonen, A., see Melvin, J.E., 1
Hilaire, G., Monteau, R. and Errchidi, S., Possible modulation of the medullary respiratory rhythm generator by the noradrenergic A_5 area: an in vitro study in the newborn rat, 325
Hirooka, Y., see Suzuki, S., 109
Hu, J.W., see Chiang, C.Y., 371

Ichikawa, K., see Arita, H., 285
Ikeda, S.R., see Schofield, G.G., 205
Imaizumi, T., see Suzuki, S., 109
Imbert, M., see Davenne, D., 267
Inagaki, S., see Murakami, S., 403

Jakubovicz, D.E. and Klip, A., Lactic acid-induced swelling in C6 glial cells via Na^+/H^+ exchange, 215
Janeczko, K., Spatiotemporal patterns of the astroglial proliferation in rat brain injured at the postmitotic stage of postnatal development: a combined immunocytochemical and

autoradiographic study, 236
Jimenez-Rivera, C.A., Chen, M.J., Vigil, A., Savage, D.D. and Weiss, G.K., Transient elevation of locus coeruleus α_2-adrenergic receptor binding during the early stages of amygdala kindling, 363
Joubert-Bression, D., see Montagna, M.-N., 258
Jung, R., Bruce, E.N. and Katona, P.G., Tonic and baroreflex effects on arterial pressure and ventilation of pentobarbital and nicotine on the rat ventral medullary surface, 399

Kajiyama, K., see Tsuru, K., 29
Kamada, T., see Wanaka, A., 125
Kanaseki, T., see Nakamura, H., 171
Kanje, M., see Sisken, B.F., 309
Kanje, M., see Sjöberg, J., 102
Katona, P.G., see Jung, R., 399
Keith, A.B., see Smith, C.J., 317
Kerr, T.P., see Drescher, D.G., 225
Kessler, J.A., see Chalazonitis, A., 115
Khan, K.M., see Drescher, D.G., 225
Kitao, Y., see Tokuno, H., 189
Kito, S., see Murakami, S., 403
Kiyama, H., see Wanaka, A., 125
Klekamp, J., Riedel, A., Harper, C. and Kretschmann, H.-J., Morphometric study on the postnatal growth of non-cortical brain regions in Australian Aborigines and Caucasians, 79
Klip, A., see Jakubovicz, D.E., 215
Kogo, N., see Arita, H., 285
Koizumi, Y., see Kubota, K., 62
Kretschmann, H.-J., see Klekamp, J., 79
Kubota, K., Sugaya, K., Koizumi, Y. and Toda, M., Cholecystokinin antagonism by anthramycin, a benzodiazepine antibiotic, in the central nervous system in mice, 62
Kubota, Y., see Murakami, S., 403
Kudo, M., see Tokuno, H., 189
Kurtz, W., see Sisken, B.F., 309
Kuwana, S., see Arita, H., 285

Laskin, J.D., see Freed, W.J., 349
Lazdunski, M., see De Weille, J.R., 199
Lobocki, C.A., see Pieper, D.R., 382
Lomri, N., see Rami, A., 20
Lundborg, G., see Sisken, B.F., 309
Lutfy, K., see Yoburn, B.C., 176

Malbon, C.C., see Wanaka, A., 125
Matsumoto, M., see Wanaka, A., 125
McNeill, T.H., see Melvin, J.E., 1
Melvin, J.E. and Hamill, R.W., Hypogastric ganglion perinatal development: evidence for androgen specificity via androgen receptors, 11
Melvin, J.E., McNeill, T.H., Hervonen, A. and Hamill, R.W., Organizational role of testosterone on the biochemical and morphological development of the hypogastric ganglion, 1
Mogenson, G.J., Wu, M. and Tsai, C.T., Subpallidal-pedunculopontine projections but not subpallidal-mediodorsal thalamus projections contribute to spontaneous exploratory locomotor activity, 396
Moises, H.C. and Smith, C.B., Electrophysiological responsiveness to isoproterenol in rat hippocampal slices correlates with changes in β-adrenergic receptor density induced by chronic morphine treatment, 67
Molinero, M.T., see De Felipe, M.C., 301
Montagne, M.-N., Vial, M., Jubert-Bression, D. and Rostène, W., Hyperprolactinemia-induced modifications in vasoactive intestinal peptide binding site densities in the rat central nervous system and pituitary gland: evidence for an interaction between estradiol-17β and prolactin effects, 258
Monteau, R., see Hilaire, G., 325
Moriizumi, T., see Tokuno, H., 189
Morley, J.E., see Gunion, M.W., 251
Murakami, S., Kubota, Y., Kito, S., Shimada, S., Takagi, H., Wu, J.-Y. and Inagaki, S., The coexistence of substance P- and glutamic acid decarboxylase-like immunoreactivity in entopeduncular neurons of the rat, 403
Murakami, T., see Wanaka, A., 125

Nakamura, H. and Kanaseki, T., Topography of the corpus callosum in the cat, 171
Nakamura, M., see Suzuki, S., 109
Nakamura, Y., see Tokuno, H., 189
Newman, S.W., see Pieper, D.R., 382
Newton, B.W. and Hamill, R.W., Target regulation of the serotonin and substance P innervation of the sexually dimorphic cremaster nucleus, 149
Nishi, T. and Gotow, T., A light-induced decrease of cyclic GMP is involved in the photoresponse of molluscan extraocular photoreceptors, 185

Omaña-Zapata, I., see Talavera, E., 141
Otani, K., see Tsuru, K., 29
Otsuki, S., see Akiyama, K., 95

Pastel, R.H., see Tortella, F.C., 294
Paul, D., see Yoburn, B.C., 176
Perry, E.K., see Smith, C.J., 317
Pieper, D.R., Newman, S.W., Lobocki, C.A. and Gogola, G., Bilateral transection of the lateral olfactory tract but not removal of the vomeronasal organs inhibits short-photoperiod-induced testicular regression in golden hamsters, 382
Pretel, S., see Guinan, M.J., 333

Rabié, A., see Rami, A, 20
Rami, A., Lomri, N., Bréhier, A., Thomasset, M. and Rabié, A., Effects of altered thyroid states and undernutrition on the calbindin-D_{28K} (calcium-binding protein) content of the hippocampal formation in the developing rat, 20
Rapoport, S.I., see Ault, B., 165
Revishchin, A.V., see Garey, L.J., 278
Riedel, A., see Klekamp, J., 79
Rosenthal, M.J., see Gunion, M.W., 251
Rostène, W., see Montagne, M.-N., 258
Rothfeld, J.M., see Guinan, M.J., 333

Savage, D.D., see Jimenez-Rivera, C.A., 363
Schmid, K. and Böhmer, G., Involvement of fast synaptic inhibition in the generation of high-frequency oscillation in central respiratory system, 193
Schmid-Antomarchi, H., see De Weille, J.R., 199
Schofield, G.G. and Ikeda, S.R., Potassium currents of acutely isolated adult rat superior cervical ganglion neurons, 205
Scroggs, R.S. and Anderson, E.G., Serotonin modulates calcium-dependent plateau of action potentials recorded from bull frog A-type sensory neurons which is ω-conotoxin GVIA-sensitive, but dihydropyridine-insensitive, 391
Sessle, B.J., see Chiang, C.Y., 371
Seyfried, T.N., see Wieraszko, A., 244
Shaw, C.-F., Cohen, M.I. and Barnhardt, R., Inspiratory-

modulated neurons of the rostrolateral pons: effects of pulmonary afferent input, 179
Shigenaga, Y., see Tsuru, K., 29
Shimada, S., see Murakami, S., 403
Sierra, V., see Yoburn, B.C., 176
Sisken, B.F., Kanje, M., Lundborg, G., Herbst, E. and Kurtz, W., Stimulation of rat sciatic nerve regeneration with pulsed electromagnetic fields, 309
Sjöberg, J. and Kanje, M., Insulin-like growth factor (IGF-1) as a stimulator of regeneration in the freeze-injured rat sciatic nerve, 102
Smith, C.B., see Moises, H.C., 67
Smith, C.J., Court, J.A., Keith, A.B. and Perry, E.K., Increases in muscarinic stimulated hydrolysis of inositol phospholipids in rat hippocampus following cholinergic deafferentation are not parallelled by alterations in cholinergic receptor density, 317
Suemune, S., see Tsuru, K., 29
Sugaya, K., see Kubota, K., 62
Suzuki, S., Takeshita, A., Imaizumi, T., Hirooka, Y., Yoshida, M. and Nakamura, M., Evidence against the central nervous system being involved in altered reflex control of sympathetic nerve activity by atrial natriuretic peptide, 109

Takács, J., see Garey, L.J., 278
Takagi, H., see Murakami, S., 403
Takeshita, A., see Suzuki, S., 109
Talavera, E., Omaña-Zapata, I., Asai, M. and Condés-Lara, M., Regional brain IR-Met-, IR-Leu-enkephalin concentrations during progress and full electrical amygdaloid kindling, 141
Tatemoto, K., see Gunion, M.W., 251
Thomasset, M., see Rami, A., 20
Toda, M., see Kubota, K., 62
Tohyama, M., see Wanaka, A., 125
Tokuno, H., Moriizumi, T., Kudo, M., Kitao, Y. and Nakamura, Y., Monosynaptic striatal inputs to the nigrotegmental neurons; an electron microscopic study in the cat, 189
Toran-Allerand, C.D., see Hauser, K.F., 157
Tortella, F.C., Echevarria, E., Pastel, R.H., Cox, B. and Blackburn, T.P., Suppressant effects of selective 5-HT_2 antagonists on rapid eye movement sleep in rats, 294
Tsai, C.T., see Mogenson, G.J., 396
Tsuru, K., Otani, K.,Kajiyama, K., Suemune, S. and Shigenaga, Y., Central terminations of periodonatal mechanoreceptive and tooth pulp afferents in the trigeminal principal and oral nuclei of the cat, 29

Vial, M., see Montagne, M.-N., 258
Vigil, A., see Jimenez-Rivera, C.A., 363

Wanaka, A., Kiyama, H., Murakami, T., Matsumoto, M., Kamada, T., Malbon, C.C. and Tohyama, M., Immunocytochemical localization of β-adrenergic receptors in the rat brain, 125
Watkins, L.R., see Guinan, M.J., 333
Weiss, G.K., Jimenez-Rivera, C.A, 363
Wickelgren, W.O., see Womble, M.D., 89
Wieraszko, A., Goldsmith, G. and Seyfried, T.N., Stimulation-dependent release of adenosine triphosphate from hippocampal slices, 244
Womble, M.D. and Wickelgren, W.O., Activation of adenylate cyclase by forskolin prolongs calcium action potential duration in lamprey sensory neurons, 89
Wu, J.-Y., see Murakami, S., 403
Wu, M., see Mogenson, G.J., 396

Yamada, N., see Akiyama, K., 95
Yoburn, B.C., Paul, D., Azimuddin, S., Lutfy, K. and Sierra, V., Chronic opioid antagonist treatment increases μ and δ receptor mediated spinal opioid analgesia, 176
Yoshida, M., see Suzuki, S., 109